

Hazard Rating:

4=extreme Fire = 0
3=high Toxicity = 1
2=moderate Reactivity = 0
1=slight Special =
0=insignificant

Emergency number 800-535-5053 or 352-323-3500

I. GENERAL INFORMATION

PRODUCT NAME : "Aldon GROUT EASY"
MANUFACTURER : Aldon Corporation
DOT HAZARD CLASSIFICATION: Non Hazardous CHEMICAL FAMILY: Mixture
EFFECTIVE DATE: 10/31/88

II. HAZARDOUS INGREDIENTS

MATERIAL	CAS#	AMOUNT	TLV
----------	------	--------	-----

Does not contain hazardous ingredients

III. PHYSICAL DATA

BOILING POINT (DEGREES F): Approx. 212 SPECIFIC GRAVITY (WATER=1): 1
VAPOR PRESSURE(MM HG.) : 17.5 @ 25 deg C PERCENT VOLATILE : 90
VAPOR DENSITY(AIR=1) : <1 EVAPORATION RATE (WATER=1): 1
SOLUBILITY IN WATER : complete REACTIVITY IN WATER : none
APPEAR.& ODOR : amber liquid, slight odor PH : 7

IV. FIRE & EXPLOSION HAZARD DATA

FLASH POINT (TEST METHOD): no flash to 200 deg. - Setaf flash closed tester
FLAMMABLE LIMITS: LEL/UEL : not applicable
AUTO IGNITION TEMPERATURE : not applicable
EXTINGUISHING MEDIA : not applicable
SPECIAL FIRE FIGHTING PROCEDURES: none
UNUSUAL FIRE & EXPLOSION HAZARDS: none

V. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE OF PRODUCT	OSHA TEV	ACGTH TLV	CARCINOGEN
not established	SEE SECTION II	NONE	

SYMPTOMS OF EXPOSURE AND ROUTES OF ENTRY:

- Eyes: May cause eye irritation.
- Skin: May irritate with prolonged or repeated contact.
- Ingestion: Possible irritation to gastrointestinal tract.
- Inhalation: Not a route of entry

FIRST AID

- Eyes: Flush with water for at least 15 minutes and get medical attention as needed.
- Skin: Flush with water. Remove contaminated clothing and footwear. Wash with soap and water for at least 15 minutes. Get medical attention if irritation persists.
- Ingestion: Give plenty of water. Consult a physician.

VI. REACTIVITY DATA

- STABILITY: stable CONDITIONS TO AVOID: none
- INCOMPATIBILITY: none known MATERIALS TO AVOID: none
- HAZARDOUS POLYMERIZATION: will not occur MATERIALS TO AVOID: none
- HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and carbon dioxide on incineration.

VII. ENVIRONMENTAL PROTECTION PROCEDURES

- SPILL RESPONSE: small spill- adsorb on clay or inert adsorbent
large spill- Dike area. Pump to suitable salvage container.
- WASTE DISPOSAL METHOD:
Dispose of in accordance with Federal, State and local regulations.

VIII. SPECIAL PROTECTION INFORMATION

- EYE PROTECTION: Safety goggles SKIN PROTECTION: rubber or vinyl gloves
- RESPIRATORY PROTECTION (SPECIFIC TYPE): not required with adequate ventilation; otherwise, a NIOSH approved respirator is advised.
- VENTILATION RECOMMENDED: general
- OTHER PROTECTION: none normally needed

IX. SPECIAL PRECAUTIONS

- HYGIENIC PRACTICES IN HANDLING & STORAGE: Keep from freezing.
Provide adequate ventilation.
- OTHER PRECAUTIONS: Personnel handling this product should be aware of the nearest eye wash/safety shower location.
- DISPOSAL OF EMPTY CONTAINERS: Triple rinse empty containers before returning

to vendor. Drum reconditioner or disposal in acceptable dump site. Caps and bungs should be placed on empty containers.

X. USER'S RESPONSIBILITY

The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

□